

Boxer

Fully equipped, complete series to vacuum pack many different products of all shapes and dimensions. Boxer table-top models ensure an easy and secure vacuum packaging process. With the unique possibility to store your settings in the 10-program memory, standard on every Boxer table-top model.




Boxer



“Nothing comes close to the reliability and ease of use of Henkelman’s Boxer series.”

BOXER 30/35



PUMP CAPACITY

8 m³/h (B30), 16 m³/h (B35)

MACHINE CYCLE

25-45 sec (B30), 15-35 sec (B35)

CHAMBER DIMENSIONS

370 x 350 x 150 mm

MACHINE DIMENSIONS

551 x 450 x 367 mm (B30)

550 x 450 x 405 mm (B35)

SEAL BAR 350 mm

WEIGHT 46 kg (B30), 52 kg (B35)

VOLTAGE 230V-1-50Hz

POWER 0,40 kW (B30),
0,55 kW (B35)



STANDARD

TIME CONTROL, DOUBLE/CUT-OFF/
WIDE SEAL (8 MM), SOFT AIR

OPTIONS

SENSOR CONTROL,
LIQUID CONTROL, ACS,
GAS FLUSH, 1-2 CUT-OFF SEAL

BOXER 42



Optional: ACS
with label printer

PUMP CAPACITY 21 m³/h

MACHINE CYCLE 15-35 sec

CHAMBER DIMENSIONS

370 x 420 x 180 mm

MACHINE DIMENSIONS

530 x 490 x 440 mm

SEAL BAR 420 mm

WEIGHT 64 kg

VOLTAGE 230V-1-50Hz

POWER 0,75 - 1,0 KW

STANDARD

TIME CONTROL, DOUBLE/CUT-OFF/
WIDE SEAL (8 MM), SOFT AIR

OPTIONS

SENSOR CONTROL, LIQUID
CONTROL, ACS, GAS FLUSH,
1-2 CUT-OFF SEAL, 2ND SEAL BAR

The machine dimensions listed refer to the usable space in the vacuum chamber (length x width x height).
The chamber dimensions listed refer to the usable space in the vacuum chamber (length x width x height).

Boxer



BOXER 42XL

Standard



Option



PUMP CAPACITY 21 m³/h
MACHINE CYCLE 15-35 sec
CHAMBER DIMENSIONS
 460 x 420 x 180 mm
MACHINE DIMENSIONS
 615 x 490 x 440 mm
SEAL BAR 420 mm
WEIGHT 72 kg
VOLTAGE 230V-1-50Hz
POWER 0,75 - 1,0 kW

STANDARD

TIME CONTROL, DOUBLE/CUT-OFF/
 WIDE SEAL (8 MM), SOFT AIR

OPTIONS

SENSOR CONTROL, LIQUID
 CONTROL, ACS, GAS FLUSH,
 1-2 CUT-OFF SEAL, 2ND SEAL BAR

BOXER 42XL BI-ACTIVE/ESD

Standard



With ESD option

PUMP CAPACITY 21 m³/h
MACHINE CYCLE 15-35 sec
CHAMBER DIMENSIONS
 460 x 420 x 120 mm
MACHINE DIMENSIONS
 620 x 490 x 450 mm
SEAL BAR 420 mm
WEIGHT 72 kg
VOLTAGE 230V-1-50Hz
POWER 0,75 - 1,0 kW

STANDARD


TIME CONTROL, BI-ACTIVE SEAL,
 SOFT AIR

OPTIONS

SENSOR CONTROL, LIQUID
 CONTROL, GAS FLUSH, ACS, ESD
 (ONLY FOR NON-FOOD)

BOXER 52/62

B52 Standard



B62 Standard



With ACS

PUMP CAPACITY 21 m³/h
MACHINE CYCLE 15-35 sec
CHAMBER DIMENSIONS
 410 x 520 x 180 mm (B52)
 360 x 620 x 180 mm (B62)
MACHINE DIMENSIONS
 530 x 700 x 440 mm
SEAL BAR 410 mm (B52),
 620 mm (B62)
WEIGHT 81 kg
VOLTAGE 230V-1-50Hz
POWER 0,75 - 1,0 kW

STANDARD

TIME CONTROL, DOUBLE/CUT-OFF/
 WIDE SEAL (8 MM), SOFT AIR

OPTIONS

SENSOR CONTROL, LIQUID
 CONTROL, ACS, GAS FLUSH,
 1-2 CUT-OFF SEAL

The machine dimensions listed refer to length x width x height. Other voltages available. Internal and printing reserved